

References for article on Greater Trochanteric Pain Syndrome

1. Allen WC, Cope R: Coxa saltans: the snapping hip revisited. *J Am Acad Orthop Surg.* 1995;3(5):303-308.
2. Anderson K, Strickland SM, Warren R. Hip and groin injuries in athletes. *Am J Sports Med.* 2001 Jul-Aug;29(4):521-33.
3. Bilbao A, Quintana JM, Escobar A, Las Hayas C, Orive M. Validatio of a proposed WOMAC short form for patient with hip osteoarthritis. *Health and Quality of Life Outcomes.* 2011: 9 (75) 1-11.
4. Bird PA, Oakley SP, Shnier R, Kirkham BW. Prospective evaluation of magnetic resonance imaging and physical examination findings in patients with greater trochanteric pain syndrome. *Arthritis Rheum.* 2001 Sep;44(9):2138-45.
5. Blank E, Owens BD, Burks R, Belmont PJ Jr. Incidence of greater trochanteric pain syndrome in active duty US military service members. *Orthopedics.* 2012 Jul 1;35(7):e1022-7.
6. Blankenbaker DG, Ulrick SR, Davis KW, De Smet AA, Haaland B, Fine JP. Correlation of MRI findings with clinical findings of trochanteric pain syndrome. *Skelet Radiol.* 2008 37:903-09.
7. Brinkley JM, Stratford PW, Lott SA, Riddle DL. The lower extremity functional scale (LEFS): scale development, measurement properties, and clinical application. *Phys Ther.* 1999; (79): 371-383.
8. Brinks A, Van Rijn RM, Willemsen SP, Bohnen AM, Verhaar JA, Koes BW, Biermanzeinstra SM. Corticosteroid injections for greater trochanteric pain syndrome: a randomized controlled trail in primary care. *Ann Fam Med.* 2011: 9(3): 226-234.
9. Byrd JW. Evaluation of the hip: history and physical examination. *N Am J Sports Phys Ther.* 2007 Nov;2(4):231-40
10. Cheatham SW, Kolber MJ, Salamh PA. Meralgia paresthetica: a review of the literature. *Int J Sports Phys Ther.* 2013 Dec;8(6):883-93
11. Cohen SB, Huang R, Ciccotti C, Dodson C, Parvizi. Treatment of femoroacetabular impingement in athletes using a mini-direct anterior approach. *Am J Sports Med.* 2012; 40: 1620-1627
12. Cohen, SP, Strassels SA, Foster ., Marvel J, Williams K, Crooks M, Gross A, Kuihara C, Nguyen C, Williams C. Comparison of fluoroscopically guided and blind corticosteroid injections for greater trochanteric pain syndrome: multicenter randomized controlled trial. *BMJ.* 2009 Apr 14;338:b1088.
13. Collée G, Dijkmans BA, Vandenbroucke JP, Rozing PM, Cats A. A clinical epidemiological study in low back pain. Description of two clinical syndromes. *Br J Rheumatol.* 1990 Oct;29(5):354-7.
14. Connell DA, Bass C, Sykes CA, Young D, Edwards E. Sonographic evaluation of gluteus medius and minimus tendinopathy. *Eur Radiol.* 2003;13(6):1339-1347.
15. Cook JL, Purdam, C. Is compressive load a factor in the development of tendinopathy? *Br J Sports Med.* 2012 Mar;46(3):163-8.
16. Cormier G, Berthelot JM, Maugars Y; SRO (Société de Rhumatologie de l'Ouest). Gluteus tendon rupture is underrecognized by French orthopedic surgeons: results of a mail survey. *Joint Bone Spine.* 2006 Jul;73(4):411-3.
17. Craig RA, Jones DP, Oakley AP, Dunbar JD. Iliotibial band Z-lengthening for refractory trochanteric bursitis (greater trochanteric pain syndrome). *ANZ J Surg.* 2007 Nov;77(11):996-98.
18. Cvitanic O, Henzie G, Skezas N, Lyons J, Minter J. MRI diagnosis of tears of the hip abductor tendons (gluteus medius and gluteus minimus). *AJR Am J Roetngenol.* 2004 Jan; 182(1):137-43.
19. Del Buono A, Papalia R, Khanduja V, Denaro V, Maffulli N. Management of the greater trochanteric pain syndrome: a systematic review. *Br Med Bull.* 2012 June;102:115-31.
20. Ege Rasmussen KJ, Fanø N. Trochanteric bursitis. Treatment by corticosteroid injection. *Scand J Rheumatol.* 1985;14(4):417-20.
21. Fearon AM, Scarvell JM, Cook JL, Smith PN. Does ultrasound correlate with surgical or histologic findings in greater trochanteric pain syndrome? A pilot study. *Clin Orthop Relat Res.* 2010 Jul;468(7):1838-44.
22. Fearon AM, Scarvell JM, Neeman T, Cook JL, Cormick W, Smith PN. Greater trochanteric pain syndrome: defining the clinical syndrome. *Br J Sports Med.* 2013 Jul;47(10):649-53.
23. Fearon AM, cook JL, Scarvell JM, Neeman T, Cormick W, Smith PN. Greater trochanteric pain syndrome negatively affects work, physical activity and quality of life: a case control study. *J Arthroplasty.* 2014 Feb; 29(2):383-6.

24. Furia JP, Rompe JD, Maffuli N. Low-energy extracorporeal shock wave therapy as a treatment for greater trochanteric pain syndrome. *Am J Sports Med.* 2009 Sep; 37 (9): 1806-1813.
25. Frizziero A, Trainito S, Oliva F, Aldini NN, Masiero S, Maffulli N. The role of eccentric exercise in sport injuries rehabilitation. *British Medical Bulletin.* 2014: 1-29.
26. Geraci, MC, Brown W. Evidence-based treatment of hip and pelvic injuries in runners. *Phys Med Rehabil Clin N Am.* 2005; 16: 711-747.
27. Grimaldi A. Assessing lateral stability of the hip and pelvis. *Man Ther.* 2011 Feb;16(1):26-32.
28. Grumet RC, Frank RM, Slabuagh MA, Virkus WW, Bush-Joseph CA, Nho SJ. Lateral hip pain in an athletic population: differential diagnosis and treatment options. *Sports Health.* 2010 May; 2(3):191-6.
29. Ho GW, Howard TM. Greater trochanteric pain syndrome: more than bursitis and iliotibial traction friction. *Curr Sports Med Rep.* 2012 Sep-Oct;11(5):232-8.
30. Howell GE, Biggs RE, Bourne RB. Prevalence of abductor mechanism tears of the hips in patients with osteoarthritis. *J Arthroplasty.* 2001 Jan;16(1):121-3.
31. Kagan A. Rotator cuff tears of the hip. *Clin Orthop Relat Res.* 1999 Nov;(368):135-40.
32. Kaltenborn A, Bourg CM, Gutzeit A, Kalberer F. The Hip Lag Sign—prospective blinded trial of a new clinical sign to predict hip abductor damage. *PLoS One.* 2014 Mar 12;9(3):e91560. doi: 10.1371/journal.pone.0091560.
33. Kimpel DM, Garner CC, Magone KM, May JH, Lawless MW. Greater trochanteric hip pain. *Orthop Nurs.* 2014 Mar-Apr;33(2):95-9.
34. Kingzett-Taylor A, Tirman PF, Feller J, McGann W, Prieto V, Wischer T, Cameron JA, Cvitanic O, Genant HK. Tendinosis and tears of gluteus medius and minimus muscles as a cause of hip pain: MR imaging findings. *AJR Am J Roentgenol.* 1999 Oct;173(4):1123-6.
35. Klausner AS, Martinoli C, Tagliafico A, Bellmann-Weiler R, Feuchtner GM, Wick M, Jaschke WR. Greater trochanteric pain syndrome. *Semin Musculoskelet Radio.* 2013 Feb;17(1):438-8.
36. Kong A, Van der Vliet A, Zadow S. MRI and US of gluteal tendinopathy in greater trochanteric pain syndrome. *Eur Radiol.* 2007; 17:1772-83.
37. Larsen E, Johansen J: Snapping hip. *Acta Orthop Scand* 1986;57(2):168-170
38. Lequesne M, Mathieu P, Vuillemin-Bodaghi V, Bard H, Djian P. Gluteal tendinopathy in refractory greater trochanter pain syndrome: diagnostic value of two clinical tests. *Arthritis Rheum.* 2008 Feb 15;59(2):241-6.
39. Lievens A, Bierma-Zeinstra S, Schouten B, Bohnen A, Verhaar J, Koes B. Prognosis of trochanteric pain in primary care. *Br J Gen Pract.* 2005 Mar;55(512):199-204.
40. Lodhia P, Slobogean GP, Noonan VK, Gilbert MK. Patient-reported outcome instruments for femoroacetabular impingement and hip labral pathology: a systematic review of the clinimetric evidence. *Arthroscopy.* 2011 Feb;27(2):279-86.
41. Loppini M, Maffulli N. Conservative management of tendinopathy: an evidence based approach. *Muscles, Ligaments and Tendons Journal.* 2001; 1 (4): 134-137.
42. Lustenberger DP, NG VY, Best TM, Ellis Tj. Efficacy of treatment of trochanteric bursitis: a systematic review. *Clin J Sports Med.* 2011 Sept;21(5):447-53.
43. Mani-Babu S, Morrissey D, Waugh C, Screen H, Barton C. The effectiveness of extracorporeal shock wave therapy in lower limb tendinopathy: a systematic review. *Am J Sports Med.* 2014 May 9 [Epub ahead of print].
44. Martin RL, Sekiya JK. The interrater reliability of 4 clinical tests used to assess individuals with musculoskeletal hip pain. *J Orthop Sports Phys Ther.* 2008 Feb;38(2):71-7.
45. Mohatadi NG, Griffn DR, Pederson ME, Chad D, Safran MR, Parsons N, Sekiya JK, Kelly BT, Werle JR, Leunig M, McCarthy JC, Martin HD, Byrd JK, Philippon MJ, Martin RL, Guanache CA, Clohisy JC, Sampson TG, Kocher MS, Larson CM. The development and validation of a self-administered quality-of-life outcome measure for young, active patients with symptomatic hip disease: the international hip outcome tool (iHOT-33) *Arthroscopy.* 2012; 28(5); 595-605.
46. Moriguchi CS, Carnaz L, Silva LC, Salazar LE, Carregaro RL, Sato Tde O, Coury HJ. Reliability of intra- and inter-rater palpation discrepancy and estimation of its effects on joint angle measurements. *Man Ther.* 2009 Jun;14(3):299-305.

47. Robertson WJ, Gardner MJ, Barker JU, Boraiah S, Lorich DG, Kelly BT. Anatomy and dimensions of the gluteus medius tendon insertion. *Arthroscopy*. 2008 Feb;24(2):130-6.
48. Rompe JD, Segal NA, Cacchio A, Furia JP, Morral A, Maffuli N. Home training, local corticosteroid injection, or radial shock wave therapy for greater trochanter pain syndrome. *Am J Sports Med*. 2009 Oct; 37 (10): 1981-1990.
49. Salek K, Mullhall KJ, Bershadsky B, Gromrawi H, White L, Buyea C, Krackow K. Development and validation of a lower extremity activity scale: use for patients treated with revision total knee arthroplasty. *J Bone Joint Surg Am*. 2005; 87(9): 1985-1994.
50. Schapira D, Nahir M, Scharf Y. Trochanteric bursitis: a common clinical problem. *Arch Phys Med Rehabil*. 1986 Nov;67(11):815-7.
51. Segal NA, Felson DT, Torner JC, Zhu Y, Curtis JR, Niu J, Nevitt MC; Multicenter Osteoarthritis Study Group. Greater trochanteric pain syndrome: epidemiology and associated factors. *Arch Phys Med Rehabil*. 2007 Aug;88(8):988-92.
52. Segal NA, Harvey W, Felson DT, Yang M, Torner JC, Curtis JR, Nevitt MC; Multicenter Osteoarthritis Study Group. Leg-length inequality is not associated with greater trochanteric pain syndrome. *Arthritis Res Ther*. 2008;10(3):R62.
53. Selkowitz DM, Beneck GJ, Powers CM. Which exercises target the gluteal muscles while minimizing activation of the tensor fascia lata? Electromyographic assessment using fine-wire electrodes. *J Orthop Sports Phys Ther*. 2013 Feb;43(2):54-64
54. Shbeeb MI, Matteson EL. Trochanteric bursitis (greater trochanter pain syndrome). *Mayo Clin Proc*. 1996 Jun;71(6):565-9.
55. Silva F, Adams T, Feinstein J, Arroyo RA. Trochanteric bursitis: refuting the myth of inflammation. *J Clin Rheumatol*. 2008 Apr, 14(2):82-86.
56. Strauss EJ, Nho SJ, Kelly BT. Greater trochanteric pain syndrome. *Sports Med Arthrosc*. 2010 Jun;18(2):113-9.
57. Su B, O'Connor JP. NSAID therapy effects on healing of bone, tendon, and the enthesis. *J Appl Physiol* 2013 July, 115: 892-899.
58. Thorborg K, Holmich P, Christensen R, Petersen J, Roos EM. The Copenhagen hip and groin outcome score (HAGOS): development and validation according to COSMIN checklist. *Br J Sports Med*. 2011; (45): 478-491.
59. Tortolani PJ, Carbone JJ, Quartararo LG. Greater trochanteric pain syndrome in patients referred to orthopedic spine specialists. *Spine J*. 2002 Jul-Aug;2(4):251-4.
60. Willcox EL, Burden AM. The influence of varying hip angle and pelvis position on muscle recruitment patterns of the hip abductor muscles during the clam exercise. *J Orthop Sports Phys Ther*. 2013 May;43(5):325-31.
61. Williams BS, Cohen SP. Greater trochanteric pain syndrome: a review of anatomy, diagnosis and treatment. *Anesth Analg*. 2009 May;108(5):1662-70.
62. Williams S, Whatman C, Hume PA, Sheerin K. Kinesio taping in treatment and prevention of sports injuries: a meta-analysis of the evidence for its effectiveness. *Sports Med*. 2012 Feb 1;42(2):153-64.
63. Woodley SJ, Mercer SR, Nicholson HD. Morphology of the bursae associated with the greater trochanter of the femur. *J Bone Joint Surg Am*. 2008 Feb;90(2):284-94.